



## E-QUAL Learning Collaboratives

[Opioid](#) | [Stroke](#)

---

Please complete your pending activity in the [E-QUAL](#) initiative portal. The upcoming deadlines are as follow:

**Opioid Initiative:**

Activity 4 - Benchmark I - Friday, May 28th, 2021

**Stroke Initiative:**

Activity 2 - Assess your Capabilities - Friday, May 14th, 2021

[E-QUAL Initiative Portal](#)

Questions?

Contact the [E-QUAL Team](#)  
Use the [Portal Access Guide](#)

Quality Tip of the Month





“Warfarin is still commonly used, and effective tools to both measure and reverse its effect are widely available. The INR can be rapidly assessed, and when elevated, treated with intravenous vitamin K and 4-Factor prothrombin complex concentrate (PCC). If PCC is not available, use fresh frozen plasma (FFP).”

*Joshua N. Goldstein MD, PhD - Harvard Medical School*

## Frequently Asked Questions



[View the FAQ page](#) | [Download the Portal Access Guide](#)

If you have questions regarding your collaborative, please be sure to reference these resources. If your site's questions are not answered, please reach out to the [E-QUAL team](#).

Click [here](#) if you are having trouble viewing this message.

© 2021 American College of Emergency Physicians. All rights reserved.  
ACEP Corporate Offices • 4950 W. Royal Lane • Irving, Texas 75063  
Getting too many emails? Update your [ACEP Email Subscription Center](#) and select only what you want to receive.